

1. Identification of the substance/preparation and company/undertaking.

NAME Pool Test Tablets

S.D.S. No.

P041

Products covered by this S.D.S. DPD tablets * Hardness test tablets * Alkalinity test tablets * pH test tablets * Cyanuric acid test tablets * Metals test tablets * Ozone test tablets * Biocide test tablets * Any other tablets not classified individually as hazardous * Kits containing the above test tablets *

Supplied by: Bartletts Water Chemistry

Univar

Lakeside 5500

Tel: 0161 741 7080

Cheadle Royal Business Park

Cheadle

Fax: 0161 741 7047

Cheshire

SK8 3GR

2. Composition/information on ingredients.

Contains: Various analytical reagents in low concentrations in a tableted medium.

Chemical

% Conc.

Classification

Exposure

CAS

EINECS

3. Hazards identification.

Unlikely to cause harmful effects under normal conditions of handling and use.

4. First Aid measures.

Exposure Route

Symptom

Treatment

Inhalation

Irritation of breathing passages.

Remove from exposure, rest and keep warm. In severe cases, or if recovery is not rapid or complete seek medical attention.

Skin Contact

Mild irritation.

Drench the skin with plenty of water. Remove contaminated clothing and wash before reuse. If large areas of the skin is damaged or if irritation persists seek medical attention.

Eye Contact

Mild irritation.

Irrigate thoroughly with water for at least 10 minutes. Obtain medical attention.

Ingestion

Stomach upset.

Wash out mouth with water. Do not induce vomiting. If patient is conscious, give water to drink. If patient feels unwell seek medical attention. Take the bottle or pack of tablets to the hospital with the patient.

Immediate Treatment / Antidote: Symptomatic treatment. Specific information on the treatment of poisoning may be obtained from the National Poisons Unit, New Cross Hospital, LONDON, Tel: 0171 635 9191

S.D.S. No P041

NAME: Pool Test Tablets

5. Fire Fighting measures.

Suitable Extinguishers: Use extinguisher suitable to cause of fire.

Hazardous Combustion Products: Various noxious fumes.

Special Equipment for Fire Fighting: Self contained breathing apparatus.

6. Accidental Release measures.

Safety Precautions: Wear appropriate PPE - See section 8

Clean up Procedure: Pick up and place in suitable labelled containers. Hold for waste disposal.

7. Handling & Storage.

Handling

Ventilation: General ventilation.

Recommended procedures & equipment: Do not ingest. Avoid contact with skin and eyes.

Storage

Temperature range: Cool.

Humidity range: Dry.

Keep away from: See section 10

Suitable storage Media: Store in original containers.

8. Exposure Controls/personal protection.

Protective Measures

Respiratory: Type approved RPE for dusts if required.

Hand: Gloves.

Eye: Goggles.

Skin: Lightweight overalls.

Hygiene Measures: Always wash thoroughly after handling chemicals.

S.D.S. No P041

Page 2 of 4

S.D.S. No P041

NAME: Pool Test Tablets

9. Physical & Chemical Properties.

Appearance: Tablets of various sizes and colours.

Flammability: Not readily flammable in normal conditions of handling and use.

Solubility in water: dispersible.

10. Stability & Reactivity.

Stability: Stable in normal conditions.

Conditions to avoid: Excessive moisture.

Materials to avoid: Strong oxidizing agents.

11. Toxicological Information.

Effects

Because of the low concentrations in individual tablets, the products are unlikely to cause harmful effects under normal conditions of handling and use. Ingestion of quantities of these test tablets may have harmful effects and anyone apparently suffering adverse effects following ingestion should be taken to hospital with the bottle or pack of tablets ingested. Contact with skin and eyes may result in irritation.

Specific advice on the treatment of poisoning may be obtained from the National Poisons Unit, New Cross Hospital, LONDON; Tel: 0171 635 9191

12. Ecological Information.

Environmental Effects

No direct information available.

Mobility: Dispersible in water.

13. Disposal considerations.

Substance: Via an authorized waste disposal contractor to an approved waste disposal site, observing all local and national regulations.

Container: As substance.

S.D.S. No P041

Page 3 of 4

14. Transport Information.

Not regulated for transport.

15. Regulatory Information.

Supply label details: Ref. CHIP - Not classified as hazardous

Label Name: Test Tablets

Symbol: }

Risk phrases: } No risk or safety phrases stipulated.

Safety phrases: }

E.C. No:

Use of this material may be governed by the following regulations:-

Users are advised to consult these regulations for further information.

The information contained in this data sheet does not constitute an assessment of workplace risks.

16. Other Information.

These materials are usually used for:

Water testing.

They must not be used for:

Medicinal purposes

Further details may be available upon request from your local Univar Ltd distribution site.

Legal Disclaimer:

The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specification of the product. The user must satisfy himself that the product is entirely suitable for his purpose.

Revision No 3

Dated: July 2004

Replaces S.D.S.

Dated: July 2000 This datasheet also replaces the following SDS:

025, 026, 027, 028, 031, 083, 119, 120, 121, 123, 124, 125, 126, 127,
128, 130, 131, 132, 133, 135, 136, 138, 139, 140, 141, 149, 150, 151,
152, 154, 155, 156, 159, 161, 162, 163, 164, 165, 166, 167, 168, 169,
171, 172, 174, 175, 177, 178, 221, 237 & 238